

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corrections	Errors
1	BRS	L2	2290	water adj softener	USPAT; US-PGPUB ; EPO; JPO	2004/04/19 07:35		0
2	BRS	L3	211	hardness with indicator	USPAT; US-PGPUB ; EPO; JPO	2004/04/19 07:35		0
3	BRS	L4	17422	water with meter	USPAT; US-PGPUB ; EPO; JPO	2004/04/19 07:36		0
4	BRS	L5	0	4 same 3	USPAT; US-PGPUB ; EPO; JPO	2004/04/19 07:36		0
5	BRS	L6	4	4 and 3	USPAT; US-PGPUB ; EPO; JPO	2004/04/19 07:38		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors
6	BRS	L7	0	processor same 3	USPAT; US-PGPUB; EPO; JPO	2004/04/19 07:38		0
7	BRS	L8	10	processor and 3	USPAT; US-PGPUB; EPO; JPO	2004/04/19 07:39		0
8	BRS	L9	6	3 and 2	USPAT; US-PGPUB; EPO; JPO	2004/04/19 07:47		0
9	BRS	L10	1	2 and 210/665.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/19 07:48		0
10	BRS	L11	15023	water with (softening or soften or softener)	USPAT; US-PGPUB; EPO; JPO	2004/04/19 07:49		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
11	BRS	L12	10	3 and 11	USPA T; US-P GPUB ; EPO; JPO	2004/04/19 07:52			0
12	BRS	L14	205	hardness with detector	USPA T; US-P GPUB ; EPO; JPO	2004/04/19 07:53			0
13	BRS	L15	8	14 and 11	USPA T; US-P GPUB ; EPO; JPO	2004/04/19 07:53			0
14	BRS	L17	12	11 and 210/665.ccls.	USPA T; US-P GPUB ; EPO; JPO	2004/04/19 07:58			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors
15	BRS	L18	72	11 and 210/670.ccls.	USPAT; US-P GPUB ; EPO; JPO	2004/04/19 08:08		0
16	BRS	L19	39	hardness and 18	USPAT; US-P GPUB ; EPO; JPO	2004/04/19 08:08		0
17	BRS	L20	5	processor and 19	USPAT; US-P GPUB ; EPO; JPO	2004/04/19 08:10		0